SCP-12062

Item #: SCP-12062

Object Class: Keter

Special Containment Procedures: Containment area is to be kept behind two reverse-pressure airlocks. Chemical shower sterilization and full self-contained breathing apparatus hazmat suits are mandatory for all personnel entering containment area. Blood tests should be done every 24 hours for ten days after any interaction with SCP-12062. Instances of SCP-12062 must be kept suspended in liquid 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline at -200 degrees Celsius to prevent potential aerosolization.

Access to SCP-12062 is strictly limited to Site-231 Division P research personnel, or individuals who have applied for and received special clearance from the O4 Council or Site-231 Director. When handling SCP-12062 all interactions must take place within a sterile sealed glass case using "Waldo" robotic manipulators. SCP-12062 should be kept immersed in Paraffinum Liquidum and all testing areas should feature a fume hood connected to incinerator at 2500 degrees Celsius. Any atomised samples of SCP-12062 must be returned to their frozen liquid storage unit.

All instances of SCP-12062-1, SCP-12062-2, and SCP-12062-3 should be terminated on sight with extreme prejudice.

Description: SCP-12062 is a biological pathogen believed to have been developed by Afghani tribesmen. When, where, and the specifics of its development are not known at this time. It was delivered to Dmitriy Vlasov - a Russian private citizen living in Afghanistan - in 1981, who tested and attempted to develop it both as a biological weapon and for pharmaceutical purposes. This tradition was carried on by his son, Nikolai Vlasov, who has been in contact with the pathogen for 18 years and has the highest viral cell count of any infected subject found to date.

The pathogen has been hypothesized to have originated in an alternate reality and as such is particularly hard to quantify. It appears to target human biology and has been observed not to affect non-human animalia however is highly contagious to plant life if the strain of SCP-12062 has not diverted too much from its original variant. In order to affect a victim it must be transmitted via bodily fluid or through liquid ingestion or aerosol inhalation at concentration strength equal or greater than 1PPM. Initially infected victims become instances of SCP-12062-1, these infected gain increased strength and durability and seem to be immune to conventional death, rising with only minor cognitive damage from any trauma that would normally kill a human.

One important property of SCP-12062-1 is a "self-resurrection" effect; when instances of SCP-12062-1 are left in a state where they cannot maintain normally bodily functions such as gaining oxygen or sustenance their cognitive functions will rapidly deteriorate, SCP-12062 will mutate to hijack the subject's nervous system as the subject's own brain structures lose cohesion. The

subject then becomes an instance of SCP-12062-2, which will mindlessly seek out other humans to infect, using scratches or bites to make fluid contact.

Viable offspring of SCP-12062-1 are classified as SCP-12062-3 and demonstrate vastly increased strength and durability, above and beyond what is exhibited by their parents, as well as instantaneous locomotion via teleportation. Subjects claim the latter instance stems from an ability to "exist in the realm of god". Instances of SCP-12062-3 also demonstrate the capability to project their conscious thoughts, which is felt as a whispering aura within a short range of the anomaly. Proximity or physical contact with SCP-12062-3 causes incredible stress on a victim's body and psyche, but also provides a vector for spontaneous (non fluid-contacted) transmission of SCP-12062 to the victim.

No third-generation subjects (i.e. viable offspring of instances of SCP-12062-3) have been observed as of the time of compilation of these Special Containment Procedures.

In cases where multiple instances of SCP-12062-3 congregate, the following ambient effects have been observed: scattered ionised electrical fields, which manifest as patches of roiling lightning; altered regional weather conditions, manifesting as powerful electrical storms; and pinpoints of green flourescence, which attract vastly increased lightning strike activity within a close proximity (approximately several metres).

On termination, SCP-12062-3 emits a high-pitched shriek and dissipates into a cloud of dense, smokey ash. The cause of this particular effect is currently unknown.

Addendum 12062-A1: CTRG Mission Report, 1981



CLASSIFIED C-1 Eyes Only

MISSION REPORT

LT.

Platoon Commander, CTRG-0

Efforts to locate or retrieve the reported captured American forces have been unsuccessful, although we have retrieved evidence that a number of their weapons were being sold at local markets.

Our local contacts brought to our awareness the location of an extensive, fortified valley base nestled in the terrain to the mid-east of our operational area. In a multi-pronged action, we struck at the nearby Russian airbase, stole a CAS airframe, and deployed it in turn to help destroy the pro-Russian base and all enemy forces. Local fire support at a key moment was also decisive in securing this victory.

The defeat of the valley base also resulted in the retrieval of intelligence on a Russian scientist developing possible biological weapons. A plainclothes assault was mounted as soon as possible on the compound containing the scientist's laboratory, where evidence of an experimental pathogen was documented. The scientist himself, however, was not present.

Although local enemy forces nearly overran the assault team, our armed contingent cut through the city to retrieve the assault team and retreat. Intelliretrieved from the scene indicated the scientist's intent to test the pathogen on locals in a nearby town, so the entire ground force was immediately redirected there.

Unfortunate armed conflict with some of the locals provoked organised hostility against us, and while our forces did retrieve the scientist, it was at the cost of many lives. The pathogen's effect was akin to some kind of 'super-soldier serum', somehow rendering them near-immune to small arms fire.

Our remaining forces retreated from the region, the trail of the captured Americans having gone cold but having secured the Russian scientist and documents from his laboratory.

Addendum 12062-A2: Foundation Analysis Report of Document 12062-A1



04 Council Level 4 Clearance eyes Only

14 October 2001

Findings Report

Subject: CTRG-0 Mission Report

The document attached is a mission report that the O4 council has gotten a hold of, it contains information regarding anomalous activity in the Lythium region of Afghanistan.

Upon analysing the report and compiling known information on the region we have come to the following conclusions:

A russian scientist by the name of was captured by Commonwealth Special Forces after intelligence was found during an undercover operation. This intel revealed the possible ongoing manufacture of a biological weapon of some kind.

The Commonwealth soldiers, part of a unit called CTRG-0 discovered that the effects of the weapon appeared to be of a beneficial nature rather than a deadly one, appearing to make individuals effected by the chemical almost immune to small arms fire.

While their observations are accurate to some degree, we believe that the so called "chemical" is in fact a stolen sample of SCP- at that point in time site— had suffered a severe containment breach resulting in the loss of SCP- , SCP- and SCP- and SCP- Initially the breach was considered to be a computer system failure, however after reviewing security footage it was discovered that the breach was orchestrated by infiltrators.

As such, it is safe to assume that the chemical found by CTRG-0 is in fact SCP- This being the case, it is imperative that it be secured and contained immediately.

Addendum 12062-A3: MTF Tau-44, Hoplite 1-1, 1IC After-Action Report: Operation Phoenix Flight, Phase 2, 02/11/2001

AFTER ACTION REPORT 02/11/2001 OPERATION PHOENIX FLIGHT: LYTHIUM, AFGHANISTAN "VAMP": MTF OPERATIVE FIRST CLASS: TEAM LEAD HOPLITE 1.1

THE FOLLOWING IS AN ABBREVIATED <u>AFTER ACTION</u> REPORT OF OPERATION PHOENIX FLIGHT PHASE 2 FROM THE PERSPECTIVE OF OFC. VAMP BY ANALYST <REDACTED>.

OBJ1:

H 1-1-A (Hoplite 1.1 Alpha) approached OBJ 1 from the south east with H-1 HQ (Hoplite HQ) covering from the south, atop a hill height 200m to 300m away. H 1-1-A cleared OBJ 1 and found intel regarding the movement of vehicles away from the area, this rendered the attacking of the motor pool to our west redundant. Shortly after H 1-1-A experienced explosive ordnance danger close, shortly after H 1-1-A Actual passed out and regained consciousness approximately 10 mins later, 5 mins before engaging a BMP-1 with reinforcements. After approximately 5 more mins of medical H 1-1-A and H-1 HQ moved together to regroup at provided vehicles.

OBJ2:

H 1.1 (Hoplite 1.1) Experienced a hot Insertion south east of OBJ2 approximately 300m to 400m away via armed, up armoured helicopters. Upon landing H 1-1-A and H 1-1-B (Hoplite 1.1 Bravo) split up, H 1-1-B moving toward OBJ2 to secure it with H HQ and H 1-1-A moving to secure south of OBJ 2 to attempt to counter any flanks from that direction. During this time H 1-1-A encountered dense armoured and vehicle contact and managed to disable 1x armoured asset, 1x AT technical and destroy 1x BTR. H 1-1-A took x1 casualty during this time. Approximately 15 mins after insertion H-1 HQ ordered immediate extraction of H 1-1-A via LZ "GONK". H 1-1-A signalled helicopter with red smoke and linked up with the remnants of H-1 HQ. Shortly after the LZ was ambushed and H 1-1-A utilized bounding overwatch with H-1 HQ Remnants to mount the helicopter. Four casualties were medevac'd from the field during the assault on OBJ2, with reinforcements arriving in time to assist with security at "LZ GONK".

OBJ3:

H_1 (Hoplite 1) took up a position North east of OBJ3, after encountering an armoured asset H 1-1-A was ordered west through a field, moving with H 1-1-B Parallel and H_HQ following behind. Approximately 30m to 50m away H 1-1-A was fired at by an unknown enemy asset. H 1-1-A moved behind buildings and regrouped with the rest of H-1. H-1 then breached OBJ3 and secured it, shortly after OBJ3 was attacked by an unknown number of enemy mechanized assets and infantry at the time. H 1-1-A was unable to utilise AT capabilities due to lack of ammo and approximately 5 to 7 mins later H_HQ minor ordered immediate withdrawal from OBJ3 east bound. At this time H 1-1-A actually attempted to assist H_1 medic and both became casualties. H-1 later extracted approximately 1km to 1.5kms west of OBJ3 under fire. Survivors were RTB and rushed to emergency surgery.

ANALYST CLOSING NOTES:

- -During Phase 2 H 1-1-A encountered alleged pathogen hosts, however while in combat H 1-1-A observed no noticeable difference in <u>combatants</u> durability. OFC.VAMP suspects that intel was either incorrect or hosts were given a weaker variant of anomalous pathogen.
- -At OBJ1 intel that was found by H 1-1-A, suggests that a prophet was being protected by the "Sons of Kandar" potentially a cult that has sprung up around the anomaly in question. Further to this at OBJ3 intelligence stated
 that they are taking action in the wider world and not just serving their interests in Lythium, the intel refers to a
 god which they serve, it remains unclear whether this is the pathogen or a twisted version of Islam fused with
 effects of the pathogen.

Recon 1: "Comms are weak, say again last?"
Recon 2: "Top, we got contact right, two times EI, bearing zero-two-four, half way up that hill near the tree line."
Recon 1: "Line of the control of t
Recon 3: "Copy, did you hear back from command? I think the hills are playing with comms."
Recon 4: "I got point."
Approximately two minutes of sounds of team movements /
Recon 4: "Sergeant, I can hear buzzing, what is-"
Loud crack followed by thunder /
Recon 2: "Jesus fucking Christ - Sarge! is down! That lightning hit him, nods detonated on his head, fuck - I don't think"
A loud bang, followed by a thud /
Recon 1: "Shit, what the fuck was that!? Did a grenade go off on his hip?"
Recon 1: "10th Actual, we got TWO KIA and are compromised. Request immediate extraction by chopper - we are exfilling with all what the fuck is that?"
End of transmission /

Addendum 12062-A5: Report from Division P Research Analyst , addressed to Director of Site-231, 02/22/2002

Upon completing vivisection of subject SCP-12062-1a "The Prophet" has shown some remarkable and disturbing results, firstly that subject differs in strain from SCP-12062-1b which seems to be a purer strain than that which is exhibited in subject Alpha. SCP-12062-1a shows biology more akin to a plant in some respects with a cell wall and organelles usually only found within a plant, it can gain sustenance from food (though requires a larger caloric intake that one would expect) or can photosynthesise and uses the high concentration of carbon in it cells as a form of biological solar panel. The lithium salts bonded to the subjects red blood cells seem to carry large amounts of energy, to the point where any metallic surgical equipment became magnetic after a short time exposed to subjects bodily fluids. It is our working theory that the electrical effects observed in proximity to SCP-12062-3 are a product of their bodies capacity to store energy and the ionised electrical field this creates.

One interesting piece of information is that while working on SCP-12062-1a it seemed to feel pain and looked in the direction of SCP-12062-1b no matter where subject Beta was moved to. SCP-12062-1b also exhibited psychological stress whenever subject alpha was being vivisected.

Addendum 12062-A6: Report from Division P Research Analyst , addressed to Director of Site-231, 10/11/2007

Viral Strain taken from SCP-12062-1a shown to be rejected by all other fauna and flora when exposed.

Addendum 12062-A7: Report from Division P Research Analyst , addressed to Director of Site-231, 10/28/2007

Viral Strain taken from SCP-12062-1b was released on Crop Gamma-32. All plants infected within 24 hours. Root systems have fused and all cells shown to contain massively increased levels of carbon increasing photosynthesis by a factor of 15. Over a 7 day period the plants change colour to a uniform black and become as hard as steel. The damage that a pure strain of the virus could do to the global ecosystem would be catastrophic. It is my recommendation that all cases of SCP-12062-1 be destroyed with incendiaries.

Tests from 2002 show that D-class personnel were not infected by the pathogen when breathing the particulate remains of SCP-12062-1 and SCP-12062-2 that had been rendered harmless by exposure to heat exceeding 2500 degrees Celsius.

Addendum 12062-A8: Report from Psychological Analyst , addressed to Director of Site-231, 06/02/2012

SCP-12062-1a has talked about his dreams once again. He talks of "God's Garden", "The Tree Upon the World" and "The Arrival". I have tasked analysts with researching archeological findings along with bibliological references to trees with religious significance, in order to flag out any potential historical instances of contact with SCP-12062.

Addendum 12062-A9: Communique from Engineering Analyst , addressed to Director of Site-231, 01/18/2016

Large scale electron depletion and dispersion vaults are almost complete. Frozen embryonic samples appear viable. Breeding program to commence within 18 months.

Still working on potential reality tear issue from controlled destruction, while analytical equipment is in place those exposed repeatedly to expected frequencies may need to be destroyed. I propose training begins on D class personnel, 18 months should be enough time to cover the basics.

Revision #14 Created 21 March 2021 03:59:49 by Nova Updated 24 March 2021 15:30:15 by Nova